



13
INLES d.d.
Kolodvorska 22
SI-1310 Ribnica
SLOVENIJA

ALU INSIDE CLASSIC SI82 – 01
IN10731/0

EN 14351-1:2006+A1:2010

Single casement PVC window

for build in vertical wall openings of the
buildings without resistance to fire

Air permeability	class - C3
Watertightness	class - 9A
Resistance to wind load	class - 4
Thermal transmittance U_w	0,86 W/m² K *

notified Body:
IFT Rosenheim GmbH Theodor-Gietl Str. 7-9
83036 Rosenheim, Germany (NB-Nr. 0757)



13
INLES d.d.
Kolodvorska 22
SI-1310 Ribnica
SLOVENIJA

ALU INSIDE CLASSIC SI82 – 06
IN10731/1

EN 14351-1:2006+A1:2010

**Double casement PVC window
(symmetric)**

for build in vertical wall openings of the
buildings without resistance to fire

Air permeability	class - C5
Watertightness	class - 9A
Resistance to wind load	class - 4
Thermal transmittance U_w	0,86 W/m² K *

notified Body:
IFT Rosenheim GmbH Theodor-Gietl Str. 7-9
83036 Rosenheim, Germany (NB-Nr. 0757)



13
INLES d.d.
Kolodvorska 22
SI-1310 Ribnica
SLOVENIJA

ALU INSIDE CLASSIC SI82 – 07
IN10731/2

EN 14351-1:2006+A1:2010

**Double casement PVC window
(asymmetric)**

for build in vertical wall openings of the
buildings without resistance to fire

Air permeability	class - C5
Watertightness	class - 9A
Resistance to wind load	class - 4
Thermal transmittance U_w	0,86 W/m² K *

notified Body:
IFT Rosenheim GmbH Theodor-Gietl Str. 7-9
83036 Rosenheim, Germany (NB-Nr. 0757)



13
INLES d.d.
Kolodvorska 22
SI-1310 Ribnica
SLOVENIJA

ALU INSIDE CLASSIC SI82 – 08
IN10731/3

EN 14351-1:2006+A1:2010

Fixed PVC window

for build in vertical wall openings of the
buildings without resistance to fire

Air permeability	class - C3
Watertightness	class - 9A
Resistance to wind load	class - 4
Thermal transmittance U_w	0,86 W/m² K *

notified Body:
IFT Rosenheim GmbH Theodor-Gietl Str. 7-9
83036 Rosenheim, Germany (NB-Nr. 0757)



13
INLES d.d.
Kolodvorska 22
SI-1310 Ribnica
SLOVENIJA

ALU INSIDE CLASSIC SI82 – 11
IN10731/4

EN 14351-1:2006+A1:2010

**single casement PVC
balcony door**

for build in vertical wall openings of the
buildings without resistance to fire

Air permeability	class - C3
Watertightness	to class - E750
Resistance to wind load	class - 4
Thermal transmittance U_w	0,86 W/m² K *

notified Body:
IFT Rosenheim GmbH Theodor-Gietl Str. 7-9
83036 Rosenheim, Germany (NB-Nr. 0757)



13
INLES d.d.
Kolodvorska 22
SI-1310 Ribnica
SLOVENIJA

ALU INSIDE CLASSIC SI82 – 12
IN10741/5

EN 14351-1:2006+A1:2010

**double casement PVC
balcony door (symmetric)**

for build in vertical wall openings of the
buildings without resistance to fire

Air permeability	class - C3
Watertightness	class - 9A
Resistance to wind load	class - 4
Thermal transmittance U_w	0,86 W/m² K *

notified Body:
IFT Rosenheim GmbH Theodor-Gietl Str. 7-9
83036 Rosenheim, Germany (NB-Nr. 0757)

* This value refers to the glazing with $U_g = 0,7 \text{ W/m}^2\text{K}$.



13
INLES d.d.
 Kolodvorska 22
 SI-1310 Ribnica
 SLOVENIJA

ALU INSIDE CLASSIC SI82 – 13
 IN10741/6

EN 14351-1:2006+A1:2010

**double casement PVC
 balcony door (asymmetric)**

for build in vertical wall openings of the
 buildings without resistance to fire

Air permeability	class - C3
Watertightness	class - 9A
Resistance to wind load	class - 4
Thermal transmittance U_w	0,86 W/m² K *

notified Body:
 IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9
 83036 Rosenheim, Germany (NB-Nr. 0757)



13
INLES d.d.
 Kolodvorska 22
 SI-1310 Ribnica
 SLOVENIJA

ALU INSIDE CLASSIC SI82 – 14
 IN10741/7

EN 14351-1:2006+A1:2010

**sliding PVC balcony door
 (PSK)**

for build in vertical wall openings of the
 buildings without resistance to fire

Air permeability	class - C3
Watertightness	class – 8A
Resistance to wind load	class - 4
Thermal transmittance U_w	0,86 W/m² K *

notified Body:
 IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9
 83036 Rosenheim, Germany (NB-Nr. 0757)

* This value refers to the glazing with $U_g = 0,7 \text{ W/m}^2\text{K}$.