




 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO68 – 01 IN2013/10 EN 14351-1:2006+A1:2010 Single casement wood window for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C5 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,0 W/m² K[*]	
notified Body: Pfb Gmbh&Co.Prüfzentrum für Bauelemente KG, Stephanskirchen, Germany (NB-Nr. 1644)	

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO68 – 06 IN2013/11 EN 14351-1:2006+A1:2010 Double casement wood window (symmetric) for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C5 Watertightness class - 7A Resistance to wind load class - 4 Thermal transmittance U_w 1,0 W/m² K[*]	
notified Body: Pfb Gmbh&Co.Prüfzentrum für Bauelemente KG, Stephanskirchen, Germany (NB-Nr. 1644)	


 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO68 – 07 IN2013/13 EN 14351-1:2006+A1:2010 Double casement wood window (asymmetric) for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C5 Watertightness class - 7A Resistance to wind load class - 4 Thermal transmittance U_w 1,0 W/m² K[*]	
notified Body: Pfb Gmbh&Co.Prüfzentrum für Bauelemente KG, Stephanskirchen, Germany (NB-Nr. 1644)	


 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO68 – 08 IN2013/18 EN 14351-1:2006+A1:2010 Fixed wood window for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C5 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,0 W/m² K[*]	
notified Body: Pfb Gmbh&Co.Prüfzentrum für Bauelemente KG, Stephanskirchen, Germany (NB-Nr. 1644)	


 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO68 – 09 IN2013/19 EN 14351-1:2006+A1:2010 Wood fixed wall for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C5 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,0 W/m² K[*]	
notified Body: Pfb Gmbh&Co.Prüfzentrum für Bauelemente KG, Stephanskirchen, Germany (NB-Nr. 1644)	


 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO68 – 11 IN2013/12 EN 14351-1:2006+A1:2010 single casement wood balcony door for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C5 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 1,0 W/m² K[*]	
notified Body: Pfb Gmbh&Co.Prüfzentrum für Bauelemente KG, Stephanskirchen, Germany (NB-Nr. 1644)	


* This value refers to the glazing with $U_g = 0,6W/m^2K$ and conifer – wood.

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO68 – 12 IN2014/14 EN 14351-1:2006+A1:2010 double casement wood balcony door (symmetric) for build in vertical wall openings of the buildings without resistance to fire	
Air permeability Watertightness Resistance to wind load Thermal transmittance U_w	class - C2 class - 4A class - 4 0,9 W/m² K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO68 – 13 IN2014/17 EN 14351-1:2006+A1:2010 double casement wood balcony door (asymmetric) for build in vertical wall openings of the buildings without resistance to fire	
Air permeability Watertightness Resistance to wind load Thermal transmittance U_w	class - C2 class - 4A class - 4 0,9 W/m² K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO68 – 14 IN2014/15 EN 14351-1:2006+A1:2010 sliding wood balcony door (PSK) for build in vertical wall openings of the buildings without resistance to fire	
Air permeability Watertightness Resistance to wind load Thermal transmittance U_w	class - C2 class - 4A-7A class - 4 0,9 W/m² K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO68 – 18 IN2014/16 EN 14351-1:2006+A1:2010 lifted sliding wood balcony door (HEBE) for build in vertical wall openings of the buildings without resistance to fire	
Air permeability Watertightness Resistance to wind load Thermal transmittance U_w	class - C2 class - 4A class - 4 1,0 W/m² K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO68 – 19 IN2014/17 EN 14351-1:2006+A1:2010 double casement wood balcony door (asymmetric) for build in vertical wall openings of the buildings without resistance to fire	
Air permeability Watertightness Resistance to wind load Thermal transmittance U_w	class - C2 class - 4A class - 4 0,9 W/m² K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO68 – 20 IN2014/15 EN 14351-1:2006+A1:2010 sliding wood balcony door (PSK) for build in vertical wall openings of the buildings without resistance to fire	
Air permeability Watertightness Resistance to wind load Thermal transmittance U_w	class - C2 class - 4A-7A class - 4 0,9 W/m² K *
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	