




 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO HA80 – 01 IN20137/0 EN 14351-1:2006+A1:2010 Single casement wood- aluminium window for build in vertical wall openings of the buildings without resistance to fire	
Air permeability	class - C5
Watertightness	class - 9A
Resistance to wind load	class - 4
Thermal transmittance U_w	1,0 W/m² K *
notified Body: Pfb Gmbh&Co.Prüfzentrum für Bauelemente KG, Stephanskirchen, Germany (NB-Nr. 1644)	

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO HA80 – 06 IN20137/1 EN 14351-1:2006+A1:2010 Double casement wood- aluminium window (symmetric) for build in vertical wall openings of the buildings without resistance to fire	
Air permeability	class - C5
Watertightness	class - 7A
Resistance to wind load	class - 4
Thermal transmittance U_w	1,0 W/m² K *
notified Body: Pfb Gmbh&Co.Prüfzentrum für Bauelemente KG, Stephanskirchen, Germany (NB-Nr. 1644)	


 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO HA80 – 07 IN20137/6 EN 14351-1:2006+A1:2010 Double casement wood- aluminium window (asymmetric) for build in vertical wall openings of the buildings without resistance to fire	
Air permeability	class - C5
Watertightness	class - 7A
Resistance to wind load	class - 4
Thermal transmittance U_w	1,0 W/m² K *
notified Body: Pfb Gmbh&Co.Prüfzentrum für Bauelemente KG, Stephanskirchen, Germany (NB-Nr. 1644)	


 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO HA80 – 08 IN20137/7 EN 14351-1:2006+A1:2010 Fixed wood- aluminium window for build in vertical wall openings of the buildings without resistance to fire	
Air permeability	class - C5
Watertightness	class - 9A
Resistance to wind load	class - 4
Thermal transmittance U_w	1,0 W/m² K *
notified Body: Pfb Gmbh&Co.Prüfzentrum für Bauelemente KG, Stephanskirchen, Germany (NB-Nr. 1644)	


 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO HA80 – 09 IN20137/8 EN 14351-1:2006+A1:2010 wood- aluminium fixed wall for build in vertical wall openings of the buildings without resistance to fire	
Air permeability	class - C5
Watertightness	class - 9A
Resistance to wind load	class - 4
Thermal transmittance U_w	1,0 W/m² K *
notified Body: Pfb Gmbh&Co.Prüfzentrum für Bauelemente KG, Stephanskirchen, Germany (NB-Nr. 1644)	

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO HA80 – 11 IN20137/2 EN 14351-1:2006+A1:2010 single casement wood- aluminium balcony door for build in vertical wall openings of the buildings without resistance to fire	
Air permeability	class - C4
Watertightness	class - 7A
Resistance to wind load	class - 4
Thermal transmittance U_w	1,0 W/m² K *
notified Body: Pfb Gmbh&Co.Prüfzentrum für Bauelemente KG, Stephanskirchen, Germany (NB-Nr. 1644)	

* This value refers to the glazing with $U_g = 0,7 \text{ W/m}^2\text{K}$ and conifer – wood.

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO HA80 – 12 IN20147/3 EN 14351-1:2006+A1:2010 Double casement wood- aluminium balcony door (symmetric) for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C3 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 0,9 W/m² K *	
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO HA80 – 13 IN20147/4 EN 14351-1:2006+A1:2010 Double casement wood- aluminium balcony door (asymmetric) for build in vertical wall openings of the buildings without resistance to fire Air permeability class - C3 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 0,9 W/m² K *	
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 13 INLES d.d. Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
INO HA80 – 14 IN20147/5 EN 14351-1:2006+A1:2010 sliding wood- aluminium balcony door (PSK) for build in vertical wall openings of the buildings without resistance to fire Air permeability class - B2 Watertightness class - 9A Resistance to wind load class - 4 Thermal transmittance U_w 0,9 W/m² K *	
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

* This value refers to the glazing with $U_g = 0,7 \text{ W/m}^2\text{K}$ and conifer – wood.