




 <b>15</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
<b>AWS 75.SI+ – 01</b> IN31131/0  <b>EN 14351-1:2006+A1:2010</b>  <b>Single casement ALU window</b>  for build in vertical wall openings of the buildings without resistance to fire	
Air permeability	- C5/B5
Watertightness	- E1200
Resistance to wind load	- 4
Thermal transmittance $U_w$	1,3 W/m <sup>2</sup> K <sup>*</sup>
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 <b>15</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
<b>AWS 75.SI+ – 06</b> IN31131/1  <b>EN 14351-1:2006+A1:2010</b>  <b>Double casement ALU window (symmetric)</b>  for build in vertical wall openings of the buildings without resistance to fire	
Air permeability	- C3/B3
Watertightness	- 7A
Resistance to wind load	- 4
Thermal transmittance $U_w$	1,3 W/m <sup>2</sup> K <sup>*</sup>
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 <b>15</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
<b>AWS 75.SI+ – 07</b> IN31131/2  <b>EN 14351-1:2006+A1:2010</b>  <b>Double casement ALU window (asymmetric)</b>  for build in vertical wall openings of the buildings without resistance to fire	
Air permeability	- C3/B3
Watertightness	- 7A
Resistance to wind load	- 4
Thermal transmittance $U_w$	1,3 W/m <sup>2</sup> K <sup>*</sup>
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 <b>15</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
<b>AWS 75.SI+ – 08</b> IN31141/3  <b>EN 14351-1:2006+A1:2010</b>  <b>fixed ALU window</b>  for build in vertical wall openings of the buildings without resistance to fire	
Air permeability	- C5/B5
Watertightness	- E1200
Resistance to wind load	- 4
Thermal transmittance $U_w$	1,3 W/m <sup>2</sup> K <sup>*</sup>
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 <b>15</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
<b>AWS 75.SI+ – 11</b> IN31131/4  <b>EN 14351-1:2006+A1:2010</b>  <b>single casement ALU balcony door</b>  for build in vertical wall openings of the buildings without resistance to fire	
Air permeability	- C5/B5
Watertightness	- E750
Resistance to wind load	- 4
Thermal transmittance $U_w$	1,3 W/m <sup>2</sup> K <sup>*</sup>
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

 <b>15</b> <b>INLES d.d.</b> Kolodvorska 22 SI-1310 Ribnica SLOVENIJA	
<b>AWS 75.SI+ – 12</b> IN31141/5  <b>EN 14351-1:2006+A1:2010</b>  <b>double casement ALU balcony door (symmetric)</b>  for build in vertical wall openings of the buildings without resistance to fire	
Air permeability	- C3/B3
Watertightness	- 9A
Resistance to wind load	- 4
Thermal transmittance $U_w$	1,3 W/m <sup>2</sup> K <sup>*</sup>
notified Body: IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9 83036 Rosenheim, Germany (NB-Nr. 0757)	

\* This value refers to the glazing with  $U_g = 1,1 \text{ W/m}^2\text{K}$ .



15  
**INLES d.d.**  
 Kolodvorska 22  
 SI-1310 Ribnica  
 SLOVENIJA

**AWS 75.SI+ – 13**  
 IN30141/6

**EN 14351-1:2006+A1:2010**

**double casement ALU  
 balcony door (asymmetric)**

for build in vertical wall openings of the  
 buildings without resistance to fire

Air permeability - **C3/B3**  
 Watertightness - **9A**  
 Resistance to wind load - **4**  
 Thermal transmittance  $U_w$  **1,3 W/m<sup>2</sup>K\***

notified Body:  
 IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9  
 83036 Rosenheim, Germany (NB-Nr. 0757)



15  
**INLES d.d.**  
 Kolodvorska 22  
 SI-1310 Ribnica  
 SLOVENIJA

**AWS 70.FT – 203 (ASS70FD)**  
 IN30141/9

**EN 14351-1:2006+A1:2010**

**folding ALU balcony door**

for build in vertical wall openings of the  
 buildings without resistance to fire

Air permeability - **C3**  
 Watertightness - **8A**  
 Resistance to wind load - **3**  
 Thermal transmittance  $U_w$  **1,4 W/m<sup>2</sup>K\***

notified Body:  
 IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9  
 83036 Rosenheim, Germany (NB-Nr. 0757)



15  
**INLES d.d.**  
 Kolodvorska 22  
 SI-1310 Ribnica  
 SLOVENIJA

**AWS 70.HI (ASS70.HI) – 18**  
 IN10141/8

**EN 14351-1:2006+A1:2010**

**lifted sliding ALU balcony door  
 (HEBE)**

for build in vertical wall openings of the  
 buildings without resistance to fire

Air permeability - **C4**  
 Watertightness - **E900**  
 Resistance to wind load - **4**  
 Thermal transmittance  $U_w$  **1,4 W/m<sup>2</sup>K\***

notified Body:  
 IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9  
 83036 Rosenheim, Germany (NB-Nr. 0757)



15  
**INLES d.d.**  
 Kolodvorska 22  
 SI-1310 Ribnica  
 SLOVENIJA

**AWS 75.SI+ -14**  
 IN31141/7

**EN 14351-1:2006+A1:2010**

**sliding Alu balcony door  
 (PSK)**

for build in vertical wall openings of the  
 buildings without resistance to fire

Air permeability **class - C2/B3**  
 Watertightness **class - 6A-9A**  
 Resistance to wind load **class - 4**  
 Thermal transmittance  $U_w$  **1,3 W/m<sup>2</sup>K\***

notified Body:  
 IFT Rosenheim Gmbh Theodor-Gietl Str. 7-9  
 83036 Rosenheim, Germany (NB-Nr. 0757)

\* This value refers to the glazing with  $U_g = 1,1 \text{ W/m}^2\text{K}$ .